Material Safety Data Sheet (ANSI form)

Section1 : Chemical Product and Company Identification

Product Name	: RSL Pro Print Cartridge Black C751
General Use	: The Image Formation of Printing Machine or Copier
MSDS Number	: 828185
Company Name	: Ricoh Americas Corporation
Department	:
Address Telephone Number	 5 Dedrick Place, West Caldwell, NJ 07006 1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies) 1-973-882-3959 environmentinfo@ricoh-usa.com

Section2 : Composition, Information on Ingredients

Ingredients	Chemical	Contents	ACGIH	(TLV)		OSHA	(PEL)
CAS No./Common Name	Formula	(%)	TWA	STEĹ	С	TWA	Ć
Confidential Polyester Resin	Confidential	50-90	N.A	N.A	N.A	N.A	N.A
Confidential Wax	Confidential	1-10	2(wax fume)mg/ m3	N.A	N.A	N.A	N.A
1333-86-4 Carbon Black	С	1-10	3.5mg/m3	N.A	N.A	3.5mg/m3	N.A
13463-67-7 Titan Oxide	TiO2	0.1-1	10mg/m3	N.A	N.A	15mg/m3	N.A
7631-86-9 Silica	O2Si	1-10	10mg/m3	N.A	N.A	15mg/m3	N.A
66402-68-4 Ferrite(Iron Oxide 50~ 90%, Manganese Oxide 14~45%)	Not Identified	1-20	N.A	N.A	N.A	N.A	N.A

This product does not contain any of the following substances as ingredients.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).

And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Hazardous Ingredients Information Chemical Name : Carbon Black	I		
CAS Number	: 1333-86-4	EEC Number	: 215-609-9
OSHA Z-Tables (USA)	: 3.5mg/m3	ACGIH-TLV	: 3.5mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	:III 3B	OELs-TWA (Australia)	: 3.0mg/m3
California Proposition 65 (USA)	: Listed		
Chemical Name : Titan Oxide			
CAS Number	: 13463-67-7	EEC Number	: 236-675-5
OSHA Z-Tables (USA)	: 15mg/m3	ACGIH-TLV	: 10mg/m3
NTP (USA)	: Not listed	IARC Monographs	: Group 2B
Symbol (EU)	: Not listed	R-Phrase (EU)	: Not listed
DFG-MAK (GER)	: Not listed	OELs-TWA (Australia)	: 10mg/m3
California Proposition 65 (USA)	: Not listed		

	Section3 : H	lazards Identificatio	on	
	☆ ☆	*☆☆☆ Emergency	v Overview ☆☆☆	**
нміз	Health : 1	Flammabilit : 1	Reactivity : 0	PPE:See section 8
NFPA	Health : 1	y Flammabilit : 1	Reactivity : 0	
	nportant Hazards Iuman Health Effe	y y		
There a Potential He Primary E		hazards expected with	intended use.	
Skin Ingestior Environme	; Yes n ; Yes ental Effects :			
Physical a	nd Chemical Haz are no significant	hazards expected with ards : hazards expected with		
Main Symp Acute Inha Exposu Acute Ora	tioms : alation Toxicity are to excessive a I Toxicity	t finely grained organic	. ,	to respiratory tract.
Acute Eye May ca Acute Skir May be	use slight transie n Irritation e non-irritant.	-		
	est no apparent s -related conjuncti	ignificant hazards are e vitis or dermatitis.)	expected . (Only few c	cases reported on incidental
Slight p at 4mg show tl normal	oulmonary fibrosis /m3 every day for nat exposure to e	2 years. No pulmonar xcessive amounts of po	y change was found a owder may cause dan	alation exposure to a toner at 1mg/m3. These findings nage to lungs. However, in inhalation of excessive
Carcinoge Carbor as the	enicity h black and titaniu result of inhalatio	Im dioxide contained in n test in use of rat. ot show carcinogenicit		sified to Group 2B of IARC
The tor test in	ner containing car use of rat.	bon black did not show	v carcinogenicity in ch	ronic inhalation exposure xide (excessive burden of
rat's lui Under assum	ngs clearance me a normal use prace ed that there is no	echanism (overload phe ctice, the concentration o such use.	enomenon)), the rat a should be far lower t	lone showed lung tumor. han the above; and it is
observ Medical C	ed with epidemiol onditions Aggrava	espiratory disease and ogical survey. ated by Exposure	work exposure of tita	nium dioxide is not
Classificat	plicable ion of the Chemic ixture is not class	cal Product ified as dangerous.		

Section4 : First Aid Measures

Inhalation :

Remove from exposure to fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particle is removed. Seek medical advice.

Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention : Immediate medical attention is not required.

Section5 : Fire Fighting I	Measures			
Flash Point (degrees centigrade) Burning Rate (mm/sec) Autoignition Temperature (degrees centigrade)	: Not applicable : 0.223 or below : Not available			
Flammable Limits(%) : LEL Not available UEL Not available Extinguishing Media to Avoid : Not applicable Specific Hazards :				
Can form explosive dust-air mixtures whe Fire-Fighting Instructions / Specific Method : No special fire protecting method is requi Protection of Firefighters : Wear gloves, glasses, a mask if necessa	ired. Sprinkling or fire extinguishers can be used.			
Section6 : Accidental Re	elease Measures			
Personal Precautions :				

Do not breathe in dust.

Environment Precautions :

Do not flush into sewers or watercourses.

Methods for Cleaning Up :

Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

Section7 : Handling and Storage

Handling :

Technical Measures/Precautions Not applicable Safe Handling Advice Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust. Storage : **Technical Measures** Not applicable Storage Conditions Keep out of reach of children. Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35°C for a long time. Avoid direct sunlight. Packaging material Not applicable Specific Use(s) : Image formation in printing machines or copiers.

Section8 : Exposure Controls/Personal Protection

Technical measures : Use adequate ventilation. None required with intended use. **Control Parameters** Exposure Limit Value (I) PEL: 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction) USA OSHA (TWA) ACGIH TLV (TWA) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction) DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction) **Personal Protection** Respiratory Protections (Specify Type) None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Eye Protection Put on goggles if necessary. **Protective Gloves** Use vinyl or rubber gloves if necessary. Protective Clothing or Equipment Wear chemical-resistant apron or other impervious clothing if necessary. **Hygiene Measures**

Wash hands after handling

Section9 : Physical and Chemical Properties

Appearance Physical state : Solid Form : Pow Colour : Blac	der	
Odor	: Sligthly plastic odor	
pН	: Not applicable	
Boiling Point (degrees centigrade)	: Not applica	able
Vapor Pressure (Pa)	Not applicable	
Vapor Density (AIR=1)	: Not applicable	
Density (g/cm3)	: Approx.1.6	Measuring Temp (degrees centigrade) : 25
Formula Weight	: Not applicable	
Melting Point (degrees centigrade)	: (Softening	point) Approx.110
Decomposition temper centigrade)	rature (degrees	: Not available
Viscosity (Pa·s)	: Not applicable	
Volatile (%)		
Evaporation Rate (Butyl Acetate = 1) : Not applicable		
Water Solubility (g/L)		
Chioroform Solubility (g/L) : Slightly soluble	e

Section10 : Stability and Reactivity

Stability : Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use condition. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products will not occur.

Section11 : Toxicological Information

Acute Toxicity
Acute Toxicity (LD50) :
5000 or over $[mg/kg]$ (Rat) (Based on other product test results of similar ingredients.)
Acute Dermal Toxicity :
Not available
Acute Inhalation Toxicity :
Not available
Local effects
Acute Skin Irritation(PII) :
1.0 or below (Rabbit) (Based on other product test results of similar ingredients.)
Acute Eye Irritation :
Not available (Ingredients are not classified as dangerous according to Directive 67/548/EEC.)
Sensitization
Acute Allergenic Effects :
Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.)
Specific Effects
Carcinogenicity :
Carbon black and titanium dioxide contained in this product are classified to Group 2B of IARC as the
result of inhalation test in use of rat.
But oral/skin test does not show carcinogenicity.
The toner containing carbon black did not show carcinogenicity in chronic inhalation exposure test in
use of rat.
In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's
lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor. Under a
normal use practice, the concentration should be far lower than the above; and it is assumed that
there is no such use.
Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with
epidemiological survey.
Mutagenicity : Negative (Ames test)
Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.
Teratogenic : Not available.
Section12 : Ecological Information

Mobility : No da Persistence/Degradabilit : Not a	: No data are available on the adverse effect one environment. it : Not available			
y Bioaccumulation : Not a Ecotoxicity	vailable			
Acute Toxicity for Fish (LC50) Acute Toxicity for Daphnia (EC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr : Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr			
Algae Inhibition Test (IC50)	: Not classified as toxic (EU Directive 1999/45/EC)mg/l/72hr			

Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

Precautions

Do not throw the toner cartridge or toner into an open flame. The hot toner may scatter and cause burns or other damage.

Section14 : Transport Information

International Regulation Land Transport	S
RID/ADR	: Not applicable
DOT 49 CFR	: Not applicable
ADNR	: Not applicable
Sea Transport	
IMDG Code	: Not applicable
Air Transport	
ICAO-TI/IATA-DGR	: Not applicable
UN Number	: Not applicable
Class	: Not applicable
Specific Precautionary	Fransport Measures and Conditions
للمانية المنتجية مسالم المامينية المناسب	the second life of

Avoid direct sunlight in quality.

Section15 : Regulatory Information

Regulations **US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This product complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product **EU** Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC

Section16 : Other Information

	la seda a Mara dala la sificación o o su su fUNIO10 National Eles Destasticas Associativas		
Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association			
[NFPA] Hazard Rating Systems: Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an			
uncontrolled situ	,		
0=Minimum Haz	ard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard be used in both systems:		
	zard Red =Fire Hazard Yellow =Reactivity Hazard White =Indicate a special hazard		
	y any Personal Protective Equipment reqired [PPE],		
	y OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water),		
xx(Radioactive).			
Literature Refere			
ISO 11014-1			
	irective 91/155/EEC		
	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, g Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon,		
••	Ilman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow,		
U.Mohr, S.Tak	enaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation		
	ats" Fundamental and Applied Toxicology 17,pp280-299		
IARC (2008) "I. Vol.93"	ARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans,		
	ENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation		
	nal Exposure to Titanium Dioxide DRAFT"		
ACGIH-TLV	. Threshold Limit Values for Chemical Substances and Physical Agents and		
	Biological Exposure Indices		
OSHA Z-Table			
NTP (USA)	 US Department of Health and Human Services National Toxicology Program Annual Report on Carcinogens 		
	DFG-MAK(GER): DFG List of MAK and BAT Value		
Symbol (EC)	: EU Directive 67/548/EEC		
91/155/ EEC	: EU Directive 91/155/ EEC		
1999/45/EC Ar 76/769/EEC	nnex V : EU Directive 1999/45/EC : EU Directive 76/769/EEC		
EC 304/2003	: Regulation (EC) No 304/2003 of the European Parliament and of the		
20 002000	Council of 28 January 2003 concerning the export and import of dangerous		
	chemicals		
WHMIS Contro	elled : Canada Workplace Hazardous Information System		
product OELs-TWA (Au	ustralia) : Guidance Note on the Interpretation of Exposure Standards for		
0220 1107 (74	Atmospheric Contaminants in the Occupational Environment [NOHSC:		
	3008 (1995)]		
Abbreviations :			
OSHA PEL ACGIH-TLV	PEL (Permissible Exposure Limit) under Occupational Safety and Health Act TLV (Threshold Limit Values) under American Conference of Governmental Industrial		
ACGINETEV	Hygienists		
REACH	EC)No.1907/2006:Council Regulation concerning the Registration, Evaluation,		
	Authorization and Restriction of Chemicals		
SVHC	Substances of Very High Concern		
ECHA DFG-MAK	The European Chemicals Agency MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft		
RoHS	Restriction of the use of certain Hazardous Substances in Electrical and Electronic		
	Equipment		
TWA	Time Weighted Average		
IARC	International Agency for Research on Cancer		
NTP WHMIS	National Toxicology Program Workplace Hazardous Information System		
NOHSC	National Occupational Health and Safety Commission Act 1985		
Disclaimer(S) :			
This information	n is furnished without warranty, expressed or implied, except that it is accurate to the best		
	Ricoh Americas Corporation.		
It relates only to any other mate	o the specific material designated herein, and does not relate to use in combination with rial or process		

any other material or process. Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.