

Version 1.1	Revision Date 07/14/2016	Print Date 01/06/2017

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Misty(R) II Disinfectant & Deodorant	
EPA ID Number:		10807-177	
Material number	:	00000000001001769	
Manufacturer or supplier's details			
Company	:	Amrep, Inc.	
Address	:	990 Industrial Park Drive Marietta, GA 30062	
Telephone	:	404-352-1680	

### Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

Recommended use	:	Disinfectant
-----------------	---	--------------

### SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	Aerosol containing a liquefied gas
Colour	white, light yellow
Odour	characteristic

#### **GHS** Classification

Flammable aerosols Gases under pressure Eye irritation	: Category 2 : Liquefied gas : Category 2A
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	<ul> <li>H223 Flammable aerosol.</li> <li>H280 Contains gas under pressure; may explode if heated.</li> <li>H319 Causes serious eye irritation.</li> </ul>
Precautionary statements	: <b>Prevention:</b> P210 Keep away from heat/sparks/open flames/hot surfaces.



Version 1.1	Revision Date 07/14/2016	Print Date 01/06/2017
	No smoking. P211 Do not spray on an open fla P251 Pressurized container: Do r use. P264 Wash skin thoroughly after P280 Wear eye protection/ face p <b>Response:</b> P305 + P351 + P338 IF IN EYES for several minutes. Remove cont easy to do. Continue rinsing. P337 + P313 If eye irritation persi attention. <b>Storage:</b> P410 + P412 Protect from sunligh temperatures exceeding 50 °C/ 1. <b>Disposal:</b> Dispose of contents/container in regulation.	hot pierce or burn, even after handling. protection. : Rinse cautiously with water tact lenses, if present and ists: Get medical advice/ nt. Do not expose to 22 °F.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

CAS-No.	Concentration [%]
64-17-5	>= 50 - < 70
106-97-8	>= 10 - < 20
74-98-6	>= 1 - < 5
67-63-0	>= 1 - < 5
	64-17-5 106-97-8 74-98-6

The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	<ul> <li>If unconscious place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> <li>Wash contaminated clothing before re-use.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> </ul>



Version 1.1	Revision Date 07/14/2016	Print Date 01/06/2017
If swallowed	<ul> <li>Keep respiratory tract clear. Never give anything by mouth to a lf symptoms persist, call a physician DO NOT induce vomiting unless of physician or poison control center.</li> </ul>	an. lirected to do so by a

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	C D	Icohol-resistant foam carbon dioxide (CO2) Dry chemical Vater spray jet
Unsuitable extinguishing media	: H	ligh volume water jet
Specific hazards during firefighting		o not allow run-off from fire fighting to enter drains or water ourses.
Hazardous combustion products	С	Carbon dioxide (CO2) Carbon monoxide Imoke
Specific extinguishing methods		lse extinguishing measures that are appropriate to local ircumstances and the surrounding environment.
Further information	se U C	or safety reasons in case of fire, cans should be stored eparately in closed containments. Ise a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This hust not be discharged into drains.
Special protective equipment for firefighters		Vear self-contained breathing apparatus for firefighting if ecessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Use personal protective equipment. Ensure adequate ventilation.</li> <li>Remove all sources of ignition.</li> <li>Evacuate personnel to safe areas.</li> <li>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.</li> </ul>
Environmental precautions	<ul> <li>Prevent product from entering drains.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> </ul>



Version 1.1

Revision Date 07/14/2016

Print Date 01/06/2017

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use. Do not breathe vapours or spray mist.
Conditions for safe storage	:	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	Oxidizing agents

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm	OSHA P0



Version 1.1	on 1.1 Revision Date 07/14/2016		Print Date 01/06/2017	
	I		1,800 mg/m3	1
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0

### **Biological occupational exposure limits**

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH BEI
				shift at		
				end of		
				workwee		
				k		

### Engineering measures : effective ventilation in all processing areas

### Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: white, light yellow
Odour	: characteristic

### SAFETY DATA SHEET



# Misty(R) II Disinfectant & Deodorant

Version 1.1	Polician Data 07/14/2010	Print Data 01/06/2017
Version 1.1	Revision Date 07/14/2016	Print Date 01/06/2017
Odour Threshold	: No data available	
рН	: 10.3 - 10.8	
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.840 g/cm3	
Solubility(ies)		
Water solubility	: completely soluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 29.16 kJ/g	

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
	Heat, flames and sparks.
Incompatible materials	: Oxidizing agents Reducing agents



## Misty(R) II Disinfectant & Deodorant

Version 1.1	Revision Date 07/14/2016	Print Date 01/06/2017
	Ammonium salts	
Hazardous decomposition products	: Carbon oxides	
SECTION 11. TOXICOLOGICAL	INFORMATION	
Potential Health Effects		
Carcinogenicity:		
IARC	No component of this product presen equal to 0.1% is identified as probable human carcinogen by IARC.	-
ACGIH	No component of this product presen equal to 0.1% is identified as a carcir carcinogen by ACGIH.	0
OSHA	No component of this product presen equal to 0.1% is identified as a carcir carcingen by OSHA	-

NTP	equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
- the second	

ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h
<b>butane:</b> Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h
	LC50 Rat: 1,355 mg/l
<b>propane:</b> Acute inhalation toxicity	: LC50 Mouse: 1,237 mg/l Exposure time: 2 h

LC50 Rat: 658 mg/l Exposure time: 4 h



Version 1.1	Revision Date 07/14/2016	Print Date 01/06/2017
	LC50 Rat: 1,355 mg/l	
propan-2-ol:		
Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg Method: Calculation method	
Skin corrosion/irritation		
Product:		
Remarks: May cause skin i	irritation in susceptible persons.	
Serious eye damage/eye irrita	ation	
Product:		
Remarks: Severe eye irrita	tion	
Respiratory or skin sensitisati	on	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
No data available		
ethanol: butane: propane: propan-2-ol:		
STOT - single exposure		
No data available		
STOT - repeated exposure		
No data available		
Aspiration toxicity		
No data available		
Further information		
Product:		
Remarks: No data availa	ble	
SECTION 12. ECOLOGICAL IN	FORMATION	
Ecotoxicity		



Version 1.1	Revision Date 07/14/2016	Print Date 01/06/2017
No data available		
Persistence and degradability		
No data available Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: No data available	
Partition coefficient: n- octanol/water	: Pow: 2.89	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environment; Stratospheric Ozone - CAA Section Substances	
Remarks	This product neither contains, nor w with a Class I or Class II ODS as de Clean Air Act Section 602 (40 CFR + B).	fined by the U.S.
Additional ecological information	: No data available	

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY



Version 1.1

Revision Date 07/14/2016

Print Date 01/06/2017

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION

Causes moderate eye irritation.

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
sodium nitrite	7632-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ammonia, anhydrous	7664-41-7	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 311/312 Hazards : Sudden Release of Pressure Hazard Acute Health Hazard Fire Hazard



Version 1.1	Revision Date 07/14/2016	Print Date 01/06/2017
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop 65 biphenyl-2-ol	WARNING! This product contains a chemical known to the State of California to cause cancer. 90-43-7	
The components of this product are reported in the following inventories:		

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Canadian DSL nor NDSL.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

### **SECTION 16. OTHER INFORMATION**

#### **Further information** NFPA: HMIS III: Flammability 3 HEALTH 3 Instability Health 3 0 FLAMMABILITY 3 PHYSICAL HAZARD 2 0 = not significant, 1 =Slight, Special hazard. 2 = Moderate, 3 = High4 = Extreme, \* = Chronic

### **OSHA - GHS Label Information:**

Hazard pictograms :	
Signal w ord	: Warning:
Hazard statements	: Flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation.
Precautionary statements	
	<b>Prevention:</b> Keep aw ay from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not



Revision Date 07/14/2016	Print Date 01/06/2017
pierce or burn, even after use. Wash skin thoroughly a protection/face protection. <b>Response:</b> IF IN EYES: Rinse cautiously with water for contact lenses, if present and easy to do. Continue rins medical advice/attention.	or several minutes. Remove
Storage: Protect from sunlight. Do not expose to temp °F.	6
	pierce or burn, even after use. Wash skin thoroughly a protection/face protection. <b>Response:</b> IF IN EYES: Rinse cautiously with water function for the set of the se

Version:	1.1
Revision Date:	07/14/2016
Print Date:	01/06/2017

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.