

criaurence.com

1 Identification

- · Product identifier
- · Trade name: CRL Windshield and Repair Sealant
- Catalog number: CRL1716
- · Relevant identified uses of the substance or mixture: Primer
- · Application of the substance / the mixture: Priming
- \cdot Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

C. R. Laurence Co., Inc. 2503 E. Vernon Ave. Los Angeles, CA 90058-1826 Telephone: (323) 588-1281

• Information department: Environment protection department.

 \cdot Emergency telephone number:

Chemtrec: 1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture
GHS02 Flame
Flam. Liq. 2 H225 Highly flammable liquid and vapor.
GHS08 Health hazard
Carc. 1B H350 May cause cancer.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2B H320 Causes eye irritation.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word: Danger



```
· Hazard statements:
 Highly flammable liquid and vapor.
 Causes skin and eye irritation.
 May cause cancer.
 May be fatal if swallowed and enters airways.
· Precautionary statements:
 If medical advice is needed, have product container or label at hand.
 Keep out of reach of children.
 Read label before use.
 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Use explosion-proof electrical/ventilating/lighting/equipment.
 Wear protective gloves / eye protection / face protection.
 Wear protective gloves.
 Ground/bond container and receiving equipment.
 Keep container tightly closed.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Wash thoroughly after handling.
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 If swallowed: Immediately call a poison center/doctor.
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
 Continue rinsing.
 Specific treatment (see on this label).
 IF exposed or concerned: Get medical advice/attention.
 If skin irritation occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 Do NOT induce vomiting.
 In case of fire: Use for extinction: CO_2, powder or water spray.
 Take off contaminated clothing and wash it before reuse.
 Store locked up.
 Store in a well-ventilated place. Keep cool.
 Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
               Health = 2
               Fire = 3
               Reactivity = 0
· HMIS-ratings (scale 0 - 4)
  HEALTH
                  <sup>2</sup> Health = 2
  FIRE
                  3
                     Fire = 3
 PHYSICAL HAZARD Physical Hazard = 0
· Other hazards
· Results of PBT and vPvB assessment
· PBT: Not applicable.
· vPvB: Not applicable.
```



*

*

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous components:			
64742-89-8	Solvent naphtha (petroleum), light aliph.(VM&P)	25-50%	
471-34-1	calcium carbonate	25-50%	
1333-86-4	Carbon black	2.5-10%	
546-93-0	Magnesite	2.5-10%	

· Additional information:

All concentrations are in percent by weight unless the ingredient is a gas. Gas concentrations are in percent by volume. Any pigments or fillers in this product which may be considered "Hazardous" are potentially hazardous only if inhaled as an airborne dust. Exposure by these ingredients as used in sealants, putties, bedding compounds and non-sprayable products is highly unlikely. For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

· Description of first aid measures

· After inhalation:

Call a doctor immediately.

Overexposure, remove to fresh air and seek medical attention.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Seek medical treatment.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.
- Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

USA –



- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
 Reference to other sections:
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling:
- *Open and handle receptacle with care. Prevent formation of aerosols.*
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Specific end use(s): No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:		
471-34-1 calcium carbonate		
PEL Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction		
REL Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction		
TLV TLV withdrawn		
1333-86-4 Carbon black		
PEL Long-term value: 3.5 mg/m ³		
REL Long-term value: 3.5* mg/m ³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C		
TLV Long-term value: 3* mg/m ³ *inhalable fraction		
	USA	



546-93-0 Magnesite

- PEL Long-term value: 15* 5** mg/m³
 - *total dust **respirable fraction
- REL Long-term value: 10* 5** mg/m³ *total dust **respirable fraction

TLV TLV withdrawn

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately.
- Breathing equipment:

Use approved respiratory protection equipment when airborne exposure is excessive. Consult the respirator manufacturer to determine the appropriate type of equipment for a given application. Observe respirator use limitations specified by the manufacturer.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. • *Material of gloves:*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses with side shields.



Tightly sealed goggles

· Body protection: Protective work clothing.

· Information on basic phy	vsical and chemical properties	
· General Information	* *	
· Appearance:		
Form:	Liquid	
Color:	Black	
· Odor:	Solvent-like	



Odour threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point:	Undetermined.
Boiling point:	141°C (286°F)
Flash point:	10°C (50°F)
Flammability (solid, gaseous):	Flammable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor
	mixtures are possible.
Flammable limits:	
Lower:	% by volume = .9
Upper:	Not Available
• Vapor pressure at 26°C (79°F):	44 mm
Specific gravity at 20°C (68°F):	1.14 g/cm ³ (9.513 lbs/gal)
Relative density	Not determined.
· Vapour density at 20°C (68°F)	3.8 g/cm ³ (31.711 lbs/gal)
Evaporation rate at $20^{\circ}C$ (68°F)	9.2 mm
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	40% (w/w)
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity

*

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products:
- Carbon monoxide and carbon dioxide
- Hydrocarbons

USA —



*

*

2B

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: May irritate the skin.
- \cdot on the eye: Vapors may be irritating to the eyes.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Carcinogenic.

The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

1333-86-4 Carbon black

· NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: Not expected to be harmful to aquatic organisms.
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- *Mobility in soil:* No further relevant information available.
- · Additional ecological information:
- · General notes: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations. Disposal must be made according to official regulations.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN1133	
· UN proper shipping name · DOT · ADR · IMDG, IATA	Adhesives 1133 Adhesives ADHESIVES	
 Transport hazard class(es) DOT, ADR, IMDG, IATA Class 	3 Flammable liquids	
· Packing group · DOT, ADR, IMDG, IATA	П	
· Environmental hazards:	Not applicable.	
• Special precautions for user • EMS Number:	Warning: Flammable liquids F-E,S-D	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
· UN "Model Regulation":	UN1133, Adhesives, 3, II	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

• **Proposition 65** are listed.

· Chemicals known to cause cancer:

64742-89-8 Solvent naphtha (petroleum), light aliph.(VM&P)

1333-86-4 Carbon black

· Chemicals known to cause reproductive toxicity:

None of the ingredients are listed.

 \cdot (DSL) Canada Domestic Substance List

All components of this product are on the DSL (Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

1333-86-4 Carbon black

A4



3B

3A



· MAK (German Maximum Workplace Concentration)

1333-86-4 Carbon black

Trade Secret

· NIOSH-Ca (National Institute for Occupational Safety and Health)

1333-86-4 Carbon black

· National regulations:

• Information about limitation of use: Use by properly trained workers recommended.

- Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, CRL makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will CRL or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

• Department issuing SDS: Environment protection department.

- · Creation Date: 02/03/2012
- Date of preparation / last revision 04/27/2015 / 1

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) Flam. Liq. 2: Flammable liquids, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B Carc. 1B: Carcinogenicity, Hazard Category 1B Asp. Tox. 1: Aspiration hazard, Hazard Category 1

USA