

# SAFETY DATA SHEET

Issue Date 01-Apr-2015 Revision Date 13-Mar-2015 Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** 

Product Name DR POWERHOUSE SHOOTER

Product Code DLCPHSGMDR-PHS

Customer Code TS-128 (4x1 Gallon), TS-32 (12X1 Quart), TS-55 (55 Drum)

#### Other means of identification

#### Recommended use of the chemical and restrictions on use

Recommended Use Cleaning agent

**Uses advised against** Use only as stated on label.

#### Details of the supplier of the safety data sheet

Manufactured For / Distributed By Dynamic Research Brand a Formula Corp Brand 4432 C ST NE Auburn, WA 98002 Phone (800) 772-7005 E-Mail sales@saf-t-step.com

#### Emergency telephone number

24 Hour Emergency Phone Number (800) 228-5635 X059

## 2. HAZARDS IDENTIFICATION

## Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

## Label elements

# Emergency Overview

## **Danger**

#### **Hazard statements**

Toxic if swallowed Toxic in contact with skin Harmful if inhaled Causes severe skin burns and eye damage



## **Precautionary Statements - Prevention**

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Wear protective gloves/protective clothing/eye protection/face protection
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray

## **Precautionary Statements - Response**

- Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell. Wash contaminated clothing before reuse. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

#### **Precautionary Statements - Storage**

- Store locked up

#### **Precautionary Statements - Disposal**

- Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

#### Other Information

Unknown Acute Toxicity

0.2% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Ammonium Hydrogen Fluoride	1341-49-7	1-5	*
Sulfamic Acid	5329-14-6	1-5	*
2-(2-butoxyethoxy)ethanol	112-34-5	1-5	*
Hydrofluoric Acid	7664-39-3	1-5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### First aid measures

General advice Immediate medical attention is required. : The effect of Hydrofluoric Acid (HF), i.e. the onset

of pain, particularly in dilute solutions, may not be felt for up to 24 hours. It is important that workers have immediate access to the antidote (calcium gluconate) both on and off the

worksite in order to apply it as soon as possible.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. Immediately apply calcium gluconate gel 2.5 % and massage into the affected area using rubber gloves; continue to massage while repeatedly applying gel until 15 minutes after pain is relieved. Alternately,

Ingestion

immerse the burned area in a solution of 0.2% iced aqueous Hyamine 1622 or 0.13% iced aqueous Zephiran Chloride. If finger/fingernails are touched, even if there is no pain, dip them in a bath of 5% calcium gluconate for 15 to 20 minutes. Consult a physician

immediately in all cases of skin contact no matter how minor.

Eye contact Keep eye wide open while rinsing Immediate medical attention is required Rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes Do not rub affected area Rinse the eyes with a calcium gluconate 1% solution for 10 minutes. In the case of difficulty opening the lids, administer an analgesic eyewash. Do not use oily drops, ointment, or HF skin burn treatments. Consult an ophthalmologist or eye specialist and

physician immediately in all cases. Take to a hospital immediately.

**Inhalation** Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen. Remove the subject from the contaminated area as soon as possible. Transport subject lying down, with the head higher than the body, to a quiet, uncontaminated and well ventilated location. Administer oxygen (2.5% calcium gluconate if available, can be oxygen nebulized with trained personnel) or cardiopulmonary resuscitation if necessary and as soon as possible. If patient is unconscious, give artificial respiration. Note: Mouth to mouth resuscitation is not

unconscious, give artificial respiration. Note: Mouth to mouth resuscitation is not recommended. Keep warm (blanket). Consult physician in all cases. Take to a hospital. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately. When directed by physician, give orally either 1% aqueous calcium gluconate solution, milk or calcium/magnesium containing anti-acid. Such solutions

can be beneficial but also may be problematic if they induce vomiting.

**Self-protection of the first aider** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. :

Mouth to mouth resuscitation is not recommended.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable extinguishing media</u> Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

<u>Protective equipment and precautions for firefighters</u> As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

**Environmental precautions** 

Revision Date 13-Mar-2015

**Environmental precautions** 

Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take Methods for cleaning up up mechanically, placing in appropriate containers for disposal. Clean contaminated surface

thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Advice on safe handling

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems. Always add acid to water.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep/store only in original container. Do not reuse container. Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

Incompatible materials

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Γ	Ammonium Hydrogen Fluoride	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F
-	1341-49-7	_	TWA: 2.5 mg/m³ dust	_
			(vacated) TWA: 2.5 mg/m <sup>3</sup>	
Γ	2-(2-butoxyethoxy)ethanol	TWA: 10 ppm inhalable fraction	-	-
	112-34-5	and vapor		
Γ	Hydrofluoric Acid	TWA: 0.5 ppm F TWA: 2.5 mg/m <sup>3</sup> F	TWA: 3 ppm F TWA: 2.5 mg/m <sup>3</sup> F	IDLH: 30 ppm
-	7664-39-3 S*		TWA: 2.5 mg/m <sup>3</sup> dust	Ceiling: 6 ppm 15 min
-	Ceiling: 2 ppm F		(vacated) TWA: 3 ppm F (vacated)	Ceiling: 5 mg/m <sup>3</sup> 15 min
-			TWA: 2.5 mg/m <sup>3</sup>	TWA: 3 ppm
-			(vacated) STEL: 6 ppm F	TWA: 2.5 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

## Appropriate engineering controls

Respiratory protection

**Engineering Controls** Showers, Eyewash stations & Ventilation systems

#### Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, Skin and body protection

as appropriate, to prevent skin contact. Wear protective gloves and protective clothing. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

Revision Date 13-Mar-2015

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**General Hygiene** 

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection. Keep working clothes separately.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear Color Green Mint/Acidic Odor

No Information available **Odor threshold** 

Remarks • Method **Property** Values

4.0 - 5.0 pН Specific Gravity 1.045 **Viscosity** Water Thin

Melting point/freezing point No Information available

Flash point Above 200°F

No Information available Boiling point / boiling range

**Evaporation rate** Same as water

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit: No Information available Lower flammability limit: No Information available Vapor pressure No Information available Vapor density No Information available Water solubility Soluble in water

No Information available Partition coefficient **Autoignition temperature** No Information available **Decomposition temperature** No Information available

**Other Information** 

Density Lbs/Gal 8.7

**VOC Content (%)** 2.5 % VOC all VOC content is CARB EXEMPT as LVP.

## 10. STABILITY AND REACTIVITY

Reactivity

No data available

Stability Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** None under normal processing.

Conditions to avoid

Exposure to air or moisture Incompatible with Thermal decomposition can lead to release of over prolonged periods.

strong acids and irritating and toxic gases and vapors.

Extremes of temperature bases. Hydrogen fluoride.

and direct sunlight. Incompatible with Incompatible materials oxidizing agents.

Metals.

**Hazardous** Decomposition **Products** 

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Causes burns. Inhalation

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Toxic in contact with skin. **Skin Contact** 

Causes burns. Toxic if swallowed. Ingestion

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium Hydrogen Fluoride 1341-49-7	= 130 mg/kg (Rat)	-	-
Sulfamic Acid 5329-14-6	= 1450 mg/kg (Rat)	-	-
2-(2-butoxyethoxy)ethanol 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg ( Rabbit )	-
Hydrofluoric Acid 7664-39-3	-	-	= 0.79 mg/L (Rat)1 h

## Information on toxicological effects

No Information available. **Symptoms** 

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

Sensitization No Information available. Germ cell mutagenicity No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ammonium Hydrogen	-	Group 3	-	-
Fluoride				
1341-49-7				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

**Chronic toxicity** 

No Information available. Reproductive toxicity STOT - single exposure STOT - repeated exposure

No Information available. No Information available.

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Central nervous system, EYES, Respiratory system, Skin. **Target organ effects** 

**Aspiration hazard** No Information available.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 0.2% of the mixture consists of ingredient(s) of unknown toxicity

#### The following values are calculated based on chapter 3.1 of the GHS document

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

6.09% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sulfamic Acid	-	14.2: 96 h Pimephales promelas	-

#### DR POWERHOUSE SHOOTER

5329-14-6		mg/L LC50 static	
2-(2-butoxyethoxy)ethanol 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	2850: 24 h Daphnia magna mg/L EC50 100: 48 h Daphnia magna mg/L EC50
Hydrofluoric Acid 7664-39-3	<u>-</u>	660: 48 h Leuciscus idus mg/L LC50	270: 48 h Daphnia species mg/L EC50

<u>Persistence and degradability</u> No Information available.

<u>Bioaccumulation</u> No Information available.

Chemical Name	Partition coefficient
Hydrofluoric Acid 7664-39-3	-1.4

Other adverse effects No Information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number U134 U154

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrofluoric Acid	U134	Yes	Yes	U134
7664-39-3				

This product contains one or more substances that are listed with the State of California as a hazardous waste.

#### 14. TRANSPORT INFORMATION

**Note:** The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

#### U.S. Department of Transportation (USDOT)

4x1 Gallon CaseNot regulatedPails & Drums (<119 Gallons)</th>Not regulated

## 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Ammonium Hydrogen Fluoride - 1341-49-7	1.0
2-(2-butoxyethoxy)ethanol - 112-34-5	1.0

\_\_\_\_\_

Hydrofluoric Acid - 7664-39-3	1.0

## SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Reactive Hazard No
Sudden release of pressure hazard No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium Hydrogen Fluoride 1341-49-7	100 lb	-	-	X
Hydrofluoric Acid 7664-39-3	100 lb	-	-	Х

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
	Ammonium Hydrogen Fluoride	100 lb	-	RQ 100 lb final RQ
	1341-49-7			RQ 45.4 kg final RQ
	Hydrofluoric Acid	100 lb	100 lb	RQ 100 lb final RQ
-	7664-39-3			RQ 45.4 kg final RQ

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ammonium Hydrogen Fluoride 1341-49-7	Х	X	Х
Sulfamic Acid 5329-14-6	Х	-	-
2-(2-butoxyethoxy)ethanol 112-34-5	Х	-	Х
Hydrofluoric Acid 7664-39-3	Х	X	Х
Methyl Salicylate 119-36-8	-	-	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

Additional information No Information available.

16. OTHER INFORMATION	
-----------------------	--

HMIS

Health hazards	Flammability	Physical hazards	Personal protection
3	1	0	В

Prepared By Regulatory Department

Issue Date01-Apr-2015Revision Date13-Mar-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet