

**MSDS - Material Safety Data Sheet**  
**Product Name: MOTORCYCLE, FARM & OUTDOOR POWER**  
**EQUIPMENT CYCLE CHAIN LUBE**

MSDS No.: ML8

**I. Basic Information:**

**Manufacturer:** RADIATOR SPECIALTY COMPANY

**Address:** 600 RADIATOR ROAD

**City, ST Zip:** INDIAN TRAIL, NC 28079

**Country:** USA

**Contact:** Robert Geer

**Information Telephone Number:** 704--68-4-18 11

**Emergency Contact:** Rocky Mountain Poison & Drug Center

**Emergency Telephone Number:** 303-623-5716

**Emergency Restrictions:**

**Product Name:** MOTORCYCLE, FARM & OUTDOOR POWER EQUIPMENT CYCLE CHAIN LUBE

**MSDS No.:** ML8

**Issue Date:** 05/14/2014

**Supersedes Date:** 06/09/2008

**II. Hazards Identification:**

**EMERGENCY OVERVIEW**

Danger: Flammable, Harmful for fatal if swallowed, Eye and Skin Irritant,

**OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Potential Health Effects**

**Route(s) of Entry:**

Eyes, skin, inhalation, ingestion

**Health Hazards (Acute and Chronic):**

See signs and symptoms below

**Signs and Symptoms:**

Eye Irritant. Skin irritation, defatting and dermatitis on prolonged exposure.

Vapors harmful. May cause irritation to lungs, narcosis effects.

Harmful if swallowed.

**Medical Conditions Generally Aggravated by Exposure:**

None known

**Other Health Warnings:**

Vomiting and subsequent aspiration into the lungs may lead to chemical pneumonia and pulmonary edema which is a potentially fatal condition.

**Potential Environmental Effects**

Not Available

**III. Composition/Information on Ingredients:**

Chemical Name	CAS No.	% Range	Trade Secret
1,2,4-Trimethylbenzene	95-63-6	1.0 - 5.0	
Aliphatic Hydrocarbon Solvent	8052-41-3	15.0 - 40.0	
Corrosion Inhibitor	Proprietary	0.1 - 1.0	
Ethylbenzene	100-41-4	0.1 - 1.0	
Ethylene/Propylene Co-Polymer	9010-79-1	1.0 - 5.0	
Isopropylbenzene	98-82-8	0.1 - 1.0	
Naphthenic Petroleum Distillate	64742-52-5	40.0 - 70.0	
Petroleum Lubricating Oil Base Stock	64742-18-3	7.0 - 13.0	
Trimethyl benzene	25551-13-7	1.0 - 5.0	
Zinc Compound	19210-06-1	0.1 - 1.0	

## ***MSDS - Material Safety Data Sheet***

### ***Product Name: MOTORCYCLE, FARM & OUTDOOR POWER EQUIPMENT CYCLE CHAIN LUBE***

***MSDS No.: ML8***

#### ***IV. First Aid Measures:***

##### **Emergency and First Aid Procedures:**

Eye Contact: Flush eyes with clean water for 15 minutes while lifting eyelids and get prompt medical attention.

Skin Contact: Wash with soap and water thoroughly. If adverse effects persist, get prompt medical attention. Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air. If breathing becomes difficult get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING! Call Poison Control Center, physician, or hospital emergency room immediately.

##### **Note to Physicians:**

N/D

#### ***V. Fire Fighting Measures:***

##### **Suitable Extinguishing Media:**

Water Fog, Foam, Carbon Dioxide, Dry Chemical

##### **Unsuitable Extinguishing Media:**

Do not use forced water stream as this could cause the fire to spread.

##### **Products of Combustion:**

Normal products of combustion: Carbon dioxide, carbon monoxide, smoke, nitrogen and sulfur oxides

##### **Protection of Firefighters:**

Wear self-contained positive pressure breathing apparatus and protective clothes.

#### ***VI. Accidental Release Measures:***

##### **Personal Precautions:**

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

##### **Environmental Precautions:**

Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occurred. Run off to sewer may create fire or explosion hazard.

##### **Methods for Containment:**

Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc).

##### **Methods for Cleanup:**

Using a non-metallic scoop, place contaminated material into an approved chemical waste container. Where possible, vacuum spilled liquid using an explosion proof vacuum to recover material.

##### **Other Information:**

All equipment used with handling the concentrate must be grounded. If run-off occurs, notify proper authorities as required that a spill has occurred.

#### ***VII. Handling and Storage:***

##### **Handling Precautions:**

Handling: Use with adequate ventilation and proper protective equipment.

Do not use near fire, sparks, or flame. Store in cool, well ventilated area below 120°F away from heat sources.

##### **Storage Precautions:**

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

#### ***VIII. Exposure Controls/Personal Protection:***

## **MSDS - Material Safety Data Sheet**

### **Product Name: MOTORCYCLE, FARM & OUTDOOR POWER EQUIPMENT CYCLE CHAIN LUBE**

**MSDS No.: ML8**

<b>Chemical Name</b>	<b>OSHA PEL</b>	<b>ACGIH TLV</b>	<b>Other Limits</b>
Corrosion Inhibitor	N/E	N/E	Not Available
Trimethyl benzene	25 ppm (TWA)	25 ppm (TWA)	Not Available
Ethylbenzene	100 ppm	100 ppm	Not Available
Isopropylbenzene	50 ppm	50 ppm	Not Available
Naphthenic Petroleum Distillate	5 mg/m3	5 mg/m3	Not Available
Aliphatic Hydrocarbon Solvent	100 ppm	100 ppm	Not Available
Petroleum Lubricating Oil Base Stock	N/E	N/E	Not Available
Ethylene/Propylene Co-Polymer	N/E	N/E	Not Available
1,2,4-Trimethylbenzene	N/E	25 ppm	Not Available
Zinc Compound	N/E	N/E	Not Available

#### **Engineering Controls:**

See Section above for applicable exposure limits. Use with adequate ventilation. If TLV is exceeded, wear NIOSH approved respirator.

#### **Personal Protective Equipment:**

For prolonged exposure wear protective safety glasses, gloves, and apron.

### **IX. Physical and Chemical Properties:**

**Boiling Point:** 315°F

**Boiling Range:** N/D

**Solubility In Water:** Insoluble

**Flash Point:** 120°F

**Odor Threshold:** N/D

**Vapor Density (AIR = 1):** N/D

**pH Range:** N/A

**Decomposition Temp:** N/D

**Lower Explosive Limit:** N/D

**Specific Gravity (H2O = 1):** 0.87

**Other Information:** N/D

**Melting Point:** N/A

**Freezing Point:** N/D

**Evaporation Rate (Butyl Acetate = 1):** N/D

**Flash Point Method:** TCC

**Appearance and Odor:** Clear bright yellow with petroleum odor

**Vapor Pressure (mm Hg.):** N/D

**Partition Coefficient:** N/D

**Auto-Ignition Temp:** N/D

**Upper Explosive Limit:** N/D

### **X. Stability and Reactivity:**

#### **Stability:**

Stable

#### **Conditions to Avoid:**

See Incompatible Materials below.

#### **Incompatible Materials:**

Oxidizing agents and acids.

#### **Hazardous Decomposition Products:**

Normal products of combustion: Carbon dioxide, carbon monoxide, smoke, nitrogen and sulfur oxides

#### **Possibility of Hazardous Reactions:**

Will not occur

**MSDS - Material Safety Data Sheet****Product Name: MOTORCYCLE, FARM & OUTDOOR POWER  
EQUIPMENT CYCLE CHAIN LUBE**

MSDS No.: ML8

**XI. Toxicological Information:**

N/D

**XII. Ecological Information:**

N/D

**XIII. Disposal Considerations:**

DISPOSAL: This container may be recycled in a recycling centers when empty. Before offering for recycling, empty the drum by using the product according to the label. Do not dump into sewers, on the ground, or into any body of water. Dispose of unused product in accordance with all local, state government and federal laws and regulations

**XIV. Transport Information:****Shipping Name:** See below**DOT Hazard Class:** Not Available**DOT Subsidiary Hazard Class:** Not Available**UN/NA#:** Not Available**Packing Group:** Not Available**Transportation Information:**

Shipping Name: Petroleum Products, n.o.s. (Aliphatic Hydrocarbon Solvent)

DOT Hazard Class: 3

Packing Group: III

UN Number: UN1268

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for international and air shipping purposes.

ICAO/IATA (US)

Shipping Name: Petroleum Products, n.o.s. (Aliphatic Hydrocarbon Solvent)

Class: 3

Packing Group: III

UN number: UN1268

International:

ICAO/IATA

UN Number: UN1268

Shipping Name: Petroleum Products, n.o.s. (Aliphatic Hydrocarbon Solvent)

Class: 3

Packing Group: III

IMDG

UN Number: UN1268

Shipping Name: Petroleum Products, n.o.s. (Aliphatic Hydrocarbon Solvent)

Class: 3

Packing Group: III

EmS: F-E, S-E

**XV. Regulatory Information:**

**MSDS - Material Safety Data Sheet****Product Name: MOTORCYCLE, FARM & OUTDOOR POWER  
EQUIPMENT CYCLE CHAIN LUBE****MSDS No.: ML8**

SARA 313 Reportable Chemicals:

1,2,4-Trimethylbenzene (95-63-6)

Ethylbenzene (100-41-4)

Isopropylbenzene (98-82-8)

Zinc Dithiophosphate (19210-06-1)

USA TSCA: All components of this material are listed on the US TSCA Inventory.

Warning: This product contains a chemical(s) known to the State of California to cause cancer or birth defects or other reproductive harm.

State RTK Chemicals

Aliphatic Hydrocarbon Solvent (8052-41-3)

Trimethylbenzene (25551-13-7)

Ethylbenzene (100-41-4)

Isopropylbenzene (98-82-8)

Zinc Dithiophosphate (19210-06-1)

**XVI. Other Information:****Chemical State:**

Liquid



Gas



Solid

**Chemical Type:**

Pure



Mixture

**Hazard Category:**

Acute



Chronic



Fire



Pressure



Reactive

NFPA

Health

1

Reactivity

0

Special

1-2-0

**Additional Manufacturer Warnings:**

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

N/E: Not Established


N/D: Not Determined

N/A: Not Applicable

N/AV: Not Available

**Additional Product Information:**

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered solely for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.



H

Pers. Protection

1-2-0