

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 16-Nov-2017

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: SUPER SPRAYBUFF

Product Number: 4450

Recommended Use: Floor finish restorer

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

# 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Skin Corrosion/Irritation: Category 2
Serious Eye Damage/Eye Irritation: Category 2A

**GHS Label Elements** 

Signal Word: Warning Symbols:



Hazard Statements: Causes skin irritation.

Causes serious eye irritation

**Precautionary Statements:** 

**Prevention:** Wash hands and any exposed skin thoroughly after handling.

Wear eye / face protection Wear protective gloves

Response:

-Skin

**-Eyes** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical

attention. Take off contaminated clothing and wash before reuse

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Not Applicable

**Disposal:** Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: • May be harmful if swallowed.

· Keep out of reach of children.

Revision Date: 16-Nov-2017 4450 - SUPER SPRAYBUFF

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
water	7732-18-5	40-70
petroleum distillates	64741-65-7	10-30
diethylene glycol monoethyl ether	111-90-0	1-5
ethylene-acrylic acid copolymer	9010-77-9	1-5
alcohol ethoxylate	68439-46-3	1-5
triethanolamine	102-71-6	1-5
oleic acid	112-80-1	1-5

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

-Skin Contact: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse

If skin irritation occurs: Get medical attention.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a -Inhalation:

poison control center or physician if you feel unwell.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious -Ingestion:

person. Get medical attention if you feel unwell.

Note to Physicians: Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

Product does not support combustion, Use extinguishing agent suitable for type of Suitable Extinguishing Media:

surrounding fire

Specific Hazards Arising from the

Chemical:

**Hazardous Combustion Products:** May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and** 

**Precautions for Firefighters:** 

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

protective gear. Cool fire-exposed containers with water spray.

Dried product is capable of burning. Combustion products are toxic.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions: Environmental Precautions:** 

Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

# 7. HANDLING AND STORAGE

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Advice on Safe Handling:

Wash contaminated clothing before reuse. Do not breathe mist, vapors or spray. Do not

eat, drink or smoke when using this product.

**Storage Conditions:** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

18 months from date of manufacture. Suggested Shelf Life:

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

4450 - SUPER SPRAYBUFF Revision Date: 16-Nov-2017

Occupational Exposure Limits:

	<u>-</u>		
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
triethanolamine	TWA: 5mg/m <sup>3</sup>	-	-
102-71-6			

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Personal Protective Equipment

**Eye/Face Protection:** Wear splash goggles.

**Skin and Body Protection:** Wear rubber or other chemical-resistant gloves.

**Respiratory Protection:** Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical States	Liquid
Appearance/Physical State:	'
Color:	White emulsion
Odor:	Floral fragrance
pH:	9.2-9.6
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.943
Solubility(ies):	Miscible in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	2000 mm2/s

# 10. STABILITY AND REACTIVITY

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

**Chemical Stability:** Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

**Products:** 

# 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain, redness, swelling of the conjunctiva and blurred vision.

-Skin Contact:
-Inhalation:
-Ingestion:
Pain, redness and cracking of the skin.
Nasal discomfort and coughing.
Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

4450 - SUPER SPRAYBUFF Revision Date: 16-Nov-2017

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 14633 mg/kg
ATEmix (dermal): 8379 mg/kg
ATEmix (inhalation-dust/mist): 107.5 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
water 7732-18-5	> 90 mL/kg(Rat)	Not Available	Not Available
petroleum distillates 64741-65-7	> 7000 mg/kg(Rat)	> 2000 mg/kg ( Rabbit )	> 5.04 mg/L (Rat) 4 h
diethylene glycol monoethyl ether 111-90-0	= 10502 mg/kg (Rat)	= 9143 mg/kg ( Rabbit )	> 5240 mg/m³(Rat)4 h
alcohol ethoxylate 68439-46-3	= 1400 mg/kg(Rat)	Not Available	Not Available
triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 20 mL/kg (Rabbit)	Not Available
oleic acid 112-80-1	= 25 g/kg ( Rat )	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
petroleum distillates 64741-65-7	30000: 72 h Pseudokirchneriella subcapitata mg/L EC50	Not Available	Not Available	2: 48 h Mysidopsis bahia mg/L LC50
diethylene glycol monoethyl ether 111-90-0	Not Available	10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through	Not Available	3940 - 4670: 48 h Daphnia magna mg/L EC50
triethanolamine 102-71-6	216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas mg/L LC50 static 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available
oleic acid 112-80-1	Not Available	205: 96 h Pimephales promelas mg/L LC50 static	Not Available	Not Available

<u>Persistence and Degradability:</u> No information available. <u>Bioaccumulation:</u> No information available.

Other Adverse Effects: No information available.

# 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:**Dispose of in accordance with federal, state and local regulations.
Contaminated Packaging:
Dispose of in accordance with federal, state and local regulations.

4450 - SUPER SPRAYBUFF Revision Date: 16-Nov-2017

# 14. TRANSPORT INFORMATION

**DOT:** Not Regulated

Proper Shipping Name: Non Hazardous Product

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG: Not Regulated

Proper Shipping Name: Non Hazardous Product

# 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product contains the following listed substances:

#### diethylene glycol monoethyl ether

CAS No 111-90-0 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or SulfonateChemical Category N230

#### SARA 311/312 Hazard Categories

Acute Health Hazard:
Chronic Health Hazard:
No
Fire Hazard:
No
Sudden release of pressure hazard:
No
Reactive Hazard:
No

### **California Proposition 65**

This product is not subject to warning requirements under California Proposition 65.

## **16. OTHER INFORMATION**

NFPA Health Hazards: 2 Flammability: 0 Instability: 0 Special: N/A

HMIS Health Hazards: 2 Flammability: 0 Physical Hazards: 0

**Revision Date:** 16-Nov-2017 **Reasons for Revision:** Section 7 and 9

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**